


C, 171. *Dendrobium subradiatum* J. J. S.

- a. Planta florens a latere visa $2\frac{1}{1}$.
- b. Planta florens supra visa $2\frac{1}{1}$.
- c. Flos $6\frac{1}{1}$.
- d. Sepalum dorsale $6\frac{1}{1}$.
- e. Sepalum laterale $6\frac{1}{1}$.
- f. Petalum $8\frac{1}{1}$.
- g. Labellum cum gynostemio $13\frac{1}{2}$.
- h. Labellum explanatum $19\frac{1}{2}$.
- i. Gynostemium subtus visum $8\frac{1}{1}$.
- j. Anthera $21\frac{1}{1}$.


C, 172. *Dendrobium legareense* J. J. S.

- a. Flos $13\frac{1}{2}$.
- b. Sepalum dorsale $9\frac{1}{1}$.
- c. Sepalum laterale $7\frac{1}{1}$.
- d. Petalum $11\frac{1}{1}$.
- e. Labellum cum gynostemio $7\frac{1}{1}$.
- f. Labellum explanatum $10\frac{1}{1}$.
- g. Anthera $16\frac{1}{1}$.

171.



172.



CI, 173. *Dendrobium apiculiferum* J. J. S.

- a.* Flos $1\frac{1}{1}$.
- b.* Sepalum dorsale $1\frac{3}{2}$.
- c.* Sepalum laterale $5\frac{1}{1}$.
- d.* Petalum $7\frac{1}{1}$.
- e.* Labellum cum gynostemio $7\frac{1}{1}$.
- f.* Labellum explanatum $8\frac{1}{1}$.
- g.* Anthera $1\frac{6}{1}$.


CI, 174. *Dendrobium Micronephelium* J. J. S.

- a.* Flos $6\frac{1}{1}$.
- b.* Sepalum dorsale $6\frac{1}{1}$.
- c.* Sepalum laterale $1\frac{7}{3}$.
- d.* Petalum $1\frac{0}{1}$.
- e.* Labellum cum gynostemio $6\frac{1}{1}$.
- f.* Labellum explanatum $7\frac{1}{1}$.
- g.* Anthera $1\frac{3}{1}$.
- h.* Pollinia $2\frac{2}{1}$.


CI, 175. *Dendrobium homochromum* J. J. S.

- a.* Flos $9\frac{1}{1}$.
- b.* Sepalum dorsale $1\frac{7}{2}$.
- c.* Sepalum laterale $8\frac{1}{1}$.
- d.* Petalum $1\frac{3}{1}$.
- e.* Labellum cum gynostemio $7\frac{1}{1}$.
- f.* Labellum explanatum $1\frac{2}{1}$.
- g.* Gynostemium lateraliter visum $1\frac{0}{1}$.
- h.* Anthera $1\frac{2}{1}$.


173.



174.



175.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CII, 176. *Dendrobium opacifolium* J. J. S.

- a. Flos $\frac{6}{1}$.
- b. Sepalum dorsale $\frac{8}{1}$.
- c. Sepalum laterale $\frac{6}{1}$.
- d. Petalum $\frac{9}{1}$.
- e. Labellum cum gynostemio $\frac{10}{1}$.
- f. Labellum explanatum $\frac{13}{1}$.
- g. Anthera $\frac{17}{1}$.
- h. Pollinia $\frac{26}{1}$.


CII, 177. *Dendrobium arfakense* J. J. S.

- a. Flos $\frac{11}{3}$.
- b. Sepalum dorsale $\frac{9}{2}$.
- c. Sepalum laterale $\frac{11}{2}$.
- d. Petalum $\frac{5}{1}$.
- e. Gynostemium $\frac{7}{1}$.
- f. Labellum explanatum $\frac{11}{2}$.
- g. Anthera $\frac{13}{1}$.


CII, 178. *Dendrobium subfalcatum* J. J. S.

- a. Flos $\frac{19}{2}$.
- b. Sepalum dorsale $\frac{10}{1}$.
- c. Sepalum laterale $\frac{10}{1}$.
- d. Petalum $\frac{12}{1}$.
- e. Labellum cum gynostemio $\frac{8}{1}$.
- f. Labellum explanatum $\frac{14}{1}$.
- g. Anthera $\frac{15}{1}$.


176.



177.



178.




J. J. Smith del.

Fa. P. W. M. Trap impr.

CIII, 179. *Dendrobium toadjanum* J. J. S.

- a.* Planta $\frac{1}{1}$.
- b.* Flos $\frac{9}{1}$.
- c.* Sepalum dorsale $\frac{13}{2}$.
- d.* Sepalum laterale $\frac{20}{3}$.
- e.* Petalum $\frac{9}{1}$.
- f.* Labellum cum gynostemio $\frac{7}{1}$.
- g.* Labellum explanatum $\frac{9}{1}$.
- h.* Anthera $\frac{28}{3}$.

179.



J. J. Smith et R. Natadipoera del.

Fa. P. W. M. Trap impr.

CIV, 180. *Dendrobium cyclobulbon* Schltr.

- a.* Planta florens $\frac{1}{1}$.
- b.* Flos $\frac{7}{2}$.
- c.* Sepalum dorsale $\frac{9}{2}$.
- d.* Sepalum laterale $\frac{9}{2}$.
- e.* Petalum $\frac{5}{1}$.
- f.* Labellum cum gynostemio $\frac{13}{2}$.
- g.* Labellum explanatum $\frac{22}{3}$.
- h.* Anthera $\frac{10}{1}$.
- i.* Pollinium $\frac{12}{1}$.


CIV, 181. *Dendrobium sublobatum* J. J. S.

- a.* Sepalum dorsale $\frac{3}{1}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{9}{2}$.
- d.* Labellum explanatum $\frac{5}{1}$.
- e.* Labellum explanatum alterius floris $\frac{4}{1}$.
- f.* Gynostemium $\frac{6}{1}$.
- g.* Gynostemium absque anthera $\frac{23}{2}$.


CIV, 182. *Dendrobium tuberculatum* J. J. S.

- a.* Flos $\frac{9}{4}$.
- b.* Sepalum dorsale $\frac{10}{3}$.
- c.* Sepalum laterale $\frac{7}{2}$.
- d.* Petalum $\frac{5}{1}$.
- e.* Labellum cum gynostemio $\frac{15}{4}$.
- f.* Labellum explanatum $\frac{27}{4}$.
- g.* Gynostemium $\frac{7}{1}$.

180.




181.



J. J. Smith del.

182.



Fa. P. W. M. Trap impr.

CV, 183. **Dendrobium bulbophylloides** J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{5}{2}$.
- c.* Sepalum laterale $\frac{5}{2}$.
- d.* Petalum $\frac{3}{1}$.
- e.* Labellum cum gynostemio $\frac{7}{1}$.
- f.* Labellum explanatum $\frac{9}{2}$.
- g.* Gynostemium $\frac{7}{1}$.
- h.* Anthera $\frac{10}{1}$.
- i.* Pollinia $\frac{11}{1}$.


CV, 184. **Dendrobium platyclinoides** J. J. S.

- a.* Sepalum dorsale $\frac{7}{2}$.
- b.* Sepalum laterale $\frac{13}{4}$.
- c.* Petalum $\frac{4}{1}$.
- d.* Labellum explanatum $\frac{8}{1}$.
- e.* Gynostemium $\frac{7}{1}$.
- f.* Anthera $\frac{15}{1}$.


CV, 185. **Dendrobium vanilliodorum** J. J. S.

- a.* Sepalum dorsale $\frac{13}{4}$.
- b.* Sepalum laterale $\frac{11}{4}$.
- c.* Petalum $\frac{3}{1}$.
- d.* Labellum cum gynostemio $\frac{5}{1}$.
- e.* Labellum explanatum $\frac{6}{1}$.
- f.* Anthera $\frac{12}{1}$.


183.



184.



185.




CVI, 186. *Dendrobium Franssenianum* J. J. S.

- a.* Sepalum dorsale $\frac{8}{3}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{3}{1}$.
- d.* Labellum explanatum $\frac{15}{2}$.
- e.* Gynostemium $\frac{11}{3}$.
- f.* Anthera $\frac{10}{1}$.


CVI, 187. *Dendrobium scotiiforme* J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{13}{5}$.
- c.* Sepalum laterale $\frac{3}{1}$.
- d.* Petalum $\frac{8}{3}$.
- e.* Labellum cum gynostemio $\frac{11}{3}$.
- f.* Labellum explanatum $\frac{7}{1}$.
- g.* Anthera $\frac{12}{1}$.

186.



187.



CVII, 188. *Dendrobium Janowskyi* J. J. S.

- a.* Sepalum dorsale $\frac{3}{1}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{3}{1}$.
- d.* Labellum explanatum $\frac{9}{2}$.
- e.* Gynostemium $\frac{3}{1}$.
- f.* Anthera $\frac{12}{1}$.


CVII, 189. *Dendrobium Sitanalae* J. J. S.

- a.* Sepalum dorsale $\frac{7}{3}$.
- b.* Sepalum laterale $\frac{5}{2}$.
- c.* Petalum $\frac{5}{2}$.
- d.* Labellum explanatum $\frac{9}{2}$.
- e.* Gynostemium $\frac{3}{1}$.
- f.* Anthera $\frac{9}{1}$.


CVII, 190. *Dendrobium pililobum* J. J. S.

- a.* Sepalum dorsale $\frac{8}{5}$.
- b.* Sepalum laterale $\frac{7}{4}$.
- c.* Petalum $\frac{3}{2}$.
- d.* Labellum cum gynostemio $\frac{9}{2}$.
- e.* Labellum explanatum $\frac{7}{2}$.
- f.* Anthera $\frac{9}{1}$.


188.



189.



190.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CVIII, 191. *Dendrobium Ajoebii* J. J. S.

- a.* Sepalum dorsale $\frac{7}{3}$.
- b.* Sepalum laterale $\frac{7}{3}$.
- c.* Petalum $\frac{7}{3}$.
- d.* Labellum explanatum $1\frac{4}{3}$.
- e.* Gynostemium $1\frac{9}{3}$.
- f.* Anthera $1\frac{1}{1}$.


CVIII, 192. *Dendrobium cervicaliferum* J. J. S.

- a.* Sepalum dorsale $\frac{7}{2}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{3}{1}$.
- d.* Labellum explanatum $\frac{9}{1}$.


CVIII, 193. *Dendrobium humboldtense* J. J. S.

- a.* Flos $\frac{4}{1}$.
- b.* Sepalum dorsale $1\frac{6}{3}$.
- c.* Sepalum laterale $\frac{4}{1}$.
- d.* Petalum $2\frac{0}{3}$.
- e.* Labellum cum gynostemio $\frac{9}{2}$.
- f.* Labellum explanatum $\frac{5}{1}$.
- g.* Anthera $\frac{7}{1}$.


191.



192.



193.



CIX, 194. *Dendrobium araneum* J. J. S.

- a.* Planta florens $1\frac{1}{1}$.
- b.* Inflorescentia $13\frac{3}{2}$.
- c.* Sepalum dorsale $26\frac{6}{3}$.
- d.* Sepalum laterale $17\frac{7}{2}$.
- e.* Petalum $10\frac{0}{1}$.
- f.* Labellum cum gynostemio $17\frac{7}{2}$.
- g.* Labellum explanatum $29\frac{9}{3}$.
- h.* Anthera $25\frac{5}{2}$.

194.



J. J. Smith et R. Natadipoera del.

Fa. P. W. M. Trap impr.

CX, 195. *Dendrobium nitidiflorum* J. J. S.

- a.* Flos $20/3$.
- b.* Sepalum dorsale $19/2$.
- c.* Sepalum laterale $8/1$.
- d.* Petalum $11/1$.
- e.* Labellum cum gynostemio $11/1$.
- f.* Labellum explanatum $11/1$.
- g.* Anthera $20/1$.


CX, 196. *Dendrobium bipulvinatum* J. J. S.

- a.* Inflorescentia $4/1$.
- b.* Sepalum dorsale $7/1$.
- c.* Sepalum laterale $7/1$.
- d.* Petalum $10/1$.
- e.* Labellum cum gynostemio $10/1$.
- f.* Labellum explanatum $21/2$.
- g.* Anthera $13/1$.
- h.* Pollinia $27/1$.


CX, 197. *Dendrobium crassinervium* J. J. S.

- a.* Sepalum dorsale $3/1$.
- b.* Sepalum laterale $3/1$.
- c.* Petalum $14/3$.
- d.* Labellum cum gynostemio $5/1$.
- e.* Labellum explanatum $5/1$.
- f.* Anthera $7/1$.


195.



196.



197.



CXI, 198. *Dendrobium dionaeoides* J. J. S.

- a.* Sepalum dorsale $\frac{7}{3}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{3}{1}$.
- d.* Labellum et gynostemium $\frac{6}{1}$.
- e.* Labellum explanatum $\frac{7}{1}$.
- f.* Anthera $\frac{13}{1}$.


CXI, 199. *Dendrobium coloratum* J. J. S.

- a.* Flos $\frac{5}{2}$.
- b.* Sepalum dorsale $\frac{3}{1}$.
- c.* Sepalum laterale $\frac{4}{1}$.
- d.* Petalum $\frac{4}{1}$.
- e.* Labellum cum gynostemio $\frac{4}{1}$.
- f.* Labellum explanatum $\frac{8}{1}$.
- g.* Anthera $\frac{9}{1}$.


CXI, 200. *Dendrobium aromaticum* J. J. S.

- a.* Flos $\frac{5}{2}$.
- b.* Sepalum dorsale $\frac{5}{2}$.
- c.* Sepalum laterale $\frac{15}{4}$.
- d.* Petalum $\frac{4}{1}$.
- e.* Labellum et gynostemium $\frac{19}{3}$.
- f.* Labellum explanatum $\frac{7}{1}$.
- g.* Anthera $\frac{8}{1}$.


198.



199.



200.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CXII, 201. *Dendrobium recurvilabre* J. J. S.

- a.* Sepalum dorsale $1\frac{5}{4}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{3}{1}$.
- d.* Labellum et gynostemium $\frac{6}{1}$.
- e.* Labellum explanatum $1\frac{1}{2}$.
- f.* Anthera $\frac{8}{1}$.


CXII, 202. *Dendrobium pictum* Schltr. var. *muriciferum* J. J. S.

- a.* Flos $\frac{5}{2}$.
- b.* Sepalum dorsale $\frac{7}{3}$.
- c.* Sepalum laterale $\frac{3}{1}$.
- d, e.* Petala $\frac{5}{2}$.
- f.* Labellum cum gynostemio $\frac{6}{1}$.
- g.* Labellum explanatum $\frac{7}{1}$.
- h.* Anthera $\frac{8}{1}$.


CXII, 203. *Dendrobium patentissimum* J. J. S.

- a.* Flos $\frac{7}{3}$.
- b.* Sepalum dorsale $\frac{3}{1}$.
- c.* Sepalum laterale $1\frac{1}{3}$.
- d.* Petalum $1\frac{1}{3}$.
- e.* Labellum cum gynostemio $\frac{5}{1}$.
- f.* Labellum explanatum $1\frac{3}{2}$.
- g.* Anthera $\frac{9}{1}$.


201.



202.



203.



CXIII, 204. *Dendrobium giriwoense* J. J. S.

- a.* Sepalum dorsale $\frac{5}{1}$.
- b.* Sepalum laterale $\frac{1\frac{2}{3}}{3}$.
- c.* Petalum $\frac{1\frac{3}{2}}{2}$.
- d.* Labellum explanatum $\frac{8}{1}$.
- e.* Gynostemium $\frac{6}{1}$.

CXIII, 205. *Dendrobium hollandianum* J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{7}{3}$.
- c.* Sepalum laterale $\frac{9}{4}$.
- d.* Petalum $\frac{7}{3}$.
- e.* Labellum cum gynostemio $\frac{5}{1}$.
- f.* Labellum explanatum $\frac{3}{1}$.
- g.* Anthera $\frac{1\frac{3}{2}}{2}$.


CXIII, 206. *Dendrobium papyraceum* J. J. S.

- a.* Sepalum dorsale $\frac{9}{4}$.
- b.* Sepalum laterale $\frac{1\frac{1}{4}}{4}$.
- c.* Petalum $\frac{1\frac{1}{4}}{4}$.
- d.* Labellum $\frac{7}{2}$.
- e.* Labellum explanatum $\frac{7}{2}$.
- f.* Gynostemium $\frac{3}{1}$.
- g.* Anthera $\frac{7}{1}$.


CXIII, 207. *Dendrobium triangulum* J. J. S.

- a.* Sepalum dorsale $\frac{1\frac{7}{3}}{3}$.
- b.* Sepalum laterale $\frac{1\frac{6}{3}}{3}$.
- c.* Petalum $\frac{5}{1}$.
- d.* Labellum explanatum $\frac{9}{1}$.
- e.* Gynostemium $\frac{8}{1}$.
- f.* Anthera $\frac{1\frac{8}{1}}{1}$.


204.




205.



206.



207.



J. J. Smith del.

Fa. P. W. M. Trap impr.


CXIV, 208. **Dendrobium acanthophippiflorum** J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{5}{3}$.
- c.* Sepalum laterale $\frac{5}{2}$.
- d.* Petalum $\frac{3}{1}$.
- e.* Labellum et gynostemium $\frac{3}{1}$.
- f.* Labellum $\frac{11}{2}$.
- g.* Anthera $\frac{3}{1}$.


CXIV, 209. **Dendrobium remiforme** J. J. S.

- a.* Flos $\frac{3}{1}$.
- b.* Sepalum dorsale $\frac{3}{1}$.
- c.* Sepalum laterale $\frac{11}{4}$.
- d.* Petalum $\frac{3}{1}$.
- e.* Labellum explanatum $\frac{3}{1}$.
- f.* Gynostemium $\frac{3}{1}$.
- g.* Anthera $\frac{15}{2}$.
- h.* Pollinia lateraliter visa $\frac{11}{1}$.

208.




209.



CXV, 210. *Dendrobium sarcopodioides* J. J. S.

- a.* Planta florens $1/1$.
- b.* Flos $19/4$.
- c.* Sepalum dorsale $4/1$.
- d.* Sepalum laterale $9/2$.
- e.* Petalum $16/3$.
- f.* Labellum explanatum $23/4$.
- g.* Gynostemium subtus visum $10/1$.

210.




CXVI, 211. *Dendrobium dendrocolloides* J. J. S.

- a.* Flos $\frac{5}{1}$.
- b.* Sepalum dorsale $\frac{6}{1}$.
- c.* Sepalum laterale $\frac{7}{1}$.
- d.* Petalum $\frac{9}{1}$.
- e.* Labellum cum gynostemio $\frac{6}{1}$.
- f.* Labellum explanatum $\frac{10}{1}$.
- g.* Anthera $\frac{10}{1}$.


CXVI, 212. *Dendrobium informe* J. J. S.

- a.* Flos $\frac{8}{3}$.
- b.* Sepalum dorsale $\frac{4}{1}$.
- c.* Sepalum laterale $\frac{7}{2}$.
- d.* Petalum $\frac{6}{1}$.
- e.* Labellum cum gynostemio $\frac{4}{1}$.
- f.* Labellum explanatum $\frac{6}{1}$.
- g.* Anthera $\frac{13}{2}$.
- h.* Bractea $\frac{4}{1}$.

211.



212.



J. J. Smith del.

Fa. P. W. M. Trap impr.


CXVII, 213. *Dendrobium Schulleri* J. J. S.

- a, b.* Flores $1/1$.
- c.* Sepalum dorsale $2/1$.
- d.* Sepalum laterale $2/1$.
- e.* Petalum $7/4$.
- f.* Labellum cum gynostemio $2/1$.
- g.* Labellum explanatum $3/3$.
- h.* Anthera $7/1$.


CXVII, 214. *Dendrobium Aries* J. J. S.

- a.* Flos $2/1$.
- b.* Sepalum dorsale $7/3$.
- c.* Sepalum laterale $7/3$.
- d.* Petalum $9/4$.
- e.* Labellum et gynostemium $2/1$.
- f.* Labellum explanatum $7/3$.
- g.* Gynostemium $7/2$.
- h.* Anthera $7/1$.
- i.* Pollinia $9/1$.

213.



214.



CXVIII, 215. *Dendrobium appendiculoides* J. J. S.

- a.* Flos $\frac{8}{3}$.
- b.* Sepalum dorsale $\frac{4}{1}$.
- c.* Sepalum laterale $\frac{3}{1}$.
- d.* Petalum $\frac{6}{1}$.
- e.* Labellum cum gynostemio $\frac{7}{2}$.
- f.* Labellum explanatum $\frac{6}{1}$.


CXVIII, 217. *Dendrobium striatiflorum* J. J. S.

- a.* Sepalum dorsale $\frac{5}{1}$.
- b.* Sepalum laterale $\frac{17}{4}$.
- c.* Petalum $\frac{11}{2}$.
- d.* Labellum explanatum $\frac{11}{3}$.
- e.* Gynostemium $\frac{13}{2}$.
- f.* Gynostemium subtus visum $\frac{8}{1}$.
- g.* Anthera $\frac{9}{1}$.


CXVIII, 218. *Dendrobium furfuraceum* J. J. S.

- a.* Bractea $\frac{2}{1}$.
- b.* Flos $\frac{9}{4}$.
- c.* Sepalum dorsale $\frac{9}{4}$.
- d.* Sepalum laterale $\frac{9}{4}$.
- e.* Petalum $\frac{5}{2}$.
- f.* Labellum cum gynostemio $\frac{3}{1}$.
- g.* Labellum explanatum $\frac{3}{1}$.
- h.* Gynostemium subtus visum $\frac{14}{3}$.
- i.* Anthera $\frac{6}{1}$.


215.



217.



218.



CXIX, 216. *Dendrobium villosipes* J. J. S.

- a.* Planta $1\frac{1}{2}$.
- b.* Ramulus florens $1\frac{1}{2}$.
- c.* Flos $7\frac{1}{3}$.
- d.* Sepalum dorsale $3\frac{1}{1}$.
- e.* Sepalum laterale $3\frac{1}{1}$.
- f, g.* Petala $4\frac{1}{1}$.
- h.* Labellum et gynostemium $11\frac{1}{3}$.
- i.* Labellum explanatum $7\frac{1}{2}$.
- j.* Anthera $10\frac{1}{1}$.

216.



J. J. Smith et Natadipoera del.

Fa. P. W. M. Trap impr.

CXX, 219. *Dendrobium flavispiculum* J. J. S.

- a.* Planta florens $1/1$.
- b.* Flos $2/1$.
- c.* Sepalum dorsale $8/1$.
- d.* Sepalum laterale $2\frac{4}{5}$.
- e.* Petalum $7/1$.
- f.* Labellum cum gynostemio $8/1$.
- g.* Labellum explanatum $9/1$.
- h.* Anthera $1\frac{1}{1}$.


CXX, 220. *Dendrobium discrepans* J. J. S.

- a.* Flos $7/2$.
- b.* Sepalum dorsale $9/2$.
- c.* Sepalum laterale $7/2$.
- d.* Petalum $1\frac{3}{2}$.
- e.* Labellum cum gynostemio $5/1$.
- f.* Labellum explanatum $5/1$.
- g.* Anthera $9/1$.


CXX, 221. *Dendrobium angustiflorum* J. J. S.

- a.* Flos $2/1$.
- b.* Sepalum dorsale $8/3$.
- c.* Sepalum laterale $1\frac{1}{5}$.
- d.* Petalum $10/3$.
- e.* Labellum cum gynostemio $18/5$.
- f, g.* Labella explanata $1\frac{1}{4}$ et $10/3$.
- h.* Gynostemium supra visum $7/1$.
- i.* Anthera $1\frac{5}{2}$.


219.



220.




221.



CXXI, 222. *Dendrobium fulgidum* Schltr. var. *angustilabre* J. J. S.

- a.* Planta florens $\frac{3}{4}$.
- b.* Flos $\frac{3}{1}$.
- c.* Sepalum dorsale $\frac{4}{1}$.
- d.* Sepalum laterale $\frac{13}{3}$.
- e.* Petalum $\frac{6}{1}$.
- f.* Labellum cum gynostemio $\frac{13}{3}$.
- g.* Labellum explanatum $\frac{14}{3}$.
- h.* Anthera $\frac{9}{1}$.



CXXII, 223. *Dendrobium quadriquetrum* J. J. S.


- a.* Flos $\frac{7}{2}$.
- b.* Sepalum dorsale $\frac{5}{1}$.
- c.* Sepalum laterale $\frac{17}{4}$.
- d.* Petalum $\frac{8}{1}$.
- e.* Labellum cum gynostemio $\frac{6}{1}$.
- f.* Labellum explanatum $\frac{8}{1}$.
- g.* Gynostemium $\frac{8}{1}$.
- h.* Anthera $\frac{11}{1}$.

CXXII, 224. *Dendrobium purpureiflorum* J. J. S.

- a.* Ramulus florens $\frac{1}{2}$.
- b.* Flos $\frac{3}{1}$.
- c.* Sepalum dorsale $\frac{4}{1}$.
- d.* Sepalum laterale $\frac{5}{2}$.
- e.* Petalum $\frac{9}{2}$.
- f.* Labellum cum gynostemio $\frac{7}{1}$.
- g.* Labellum explanatum $\frac{7}{2}$.
- h.* Gynostemium dorso visum $\frac{11}{2}$.
- i.* Anthera $\frac{16}{3}$.

224.

223.



J. J. Smith et Natadipoera del.

Fa. P. W. M. Trap impr.


CXXIII, 225. *Dendrobium infractum* J. J. S.

- a.* Flos $\frac{7}{3}$.
- b.* Sepalum dorsale $\frac{8}{3}$.
- c.* Sepalum laterale $\frac{7}{3}$.
- d.* Petalum $1\frac{3}{4}$.
- e.* Labellum explanatum $1\frac{1}{3}$.
- f.* Gynostemium $\frac{5}{1}$.
- g.* Anthera $\frac{6}{1}$.
- h.* Apex pedis gynostemii $1\frac{5}{4}$.


CXXIII, 226. *Dendrobium cylindricum* J. J. S.

- a.* Sepalum dorsale $\frac{5}{1}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{9}{2}$.
- d.* Labellum explanatum $\frac{3}{1}$.
- e.* Gynostemium $1\frac{1}{2}$.
- f.* Apex pedis gynostemii $\frac{5}{1}$.

225.



226.



CXXIV, 227. *Dendrobium riparium* J. J. S.

- a.* Ramulus florens $1\frac{1}{2}$.
- b.* Flos $7\frac{1}{3}$.
- c.* Sepalum dorsale $4\frac{1}{1}$.
- d.* Sepalum laterale $8\frac{1}{3}$.
- e.* Petalum $6\frac{1}{1}$.
- f.* Labellum cum gynostemio $7\frac{1}{2}$.
- g.* Labellum explanatum $11\frac{1}{3}$.
- h.* Gynostemium $13\frac{1}{2}$.
- i.* Anthera $6\frac{1}{1}$.





CXXXV, 228. *Dendrobium jabiense* J. J. S.

- a.* Flos $1\frac{1}{3}$.
- b.* Sepalum dorsale $\frac{4}{1}$.
- c.* Sepalum laterale $1\frac{1}{3}$.
- d.* Petalum $1\frac{1}{2}$.
- e.* Labellum et gynostemium $1\frac{7}{3}$.
- f.* Labellum explanatum $1\frac{5}{4}$.
- g.* Anthera $1\frac{5}{2}$.

CXXXV, 229. *Dendrobium fruticicola* J. J. S.

- a.* Bractea $\frac{4}{1}$.
- b.* Flos $1\frac{1}{4}$.
- c.* Sepalum dorsale $1\frac{3}{4}$.
- d.* Sepalum laterale $1\frac{3}{4}$.
- e.* Petalum $1\frac{3}{4}$.
- f.* Labellum cum gynostemio $1\frac{1}{3}$.
- g.* Labellum explanatum $\frac{3}{1}$.
- h.* Gynostemium subtus visum $\frac{4}{1}$.
- i.* Anthera $\frac{7}{1}$.




CXXXVI, 230. *Dendrobium angiense* J. J. S.

- a.* Bractea $\frac{6}{1}$.
- b.* Flos $\frac{7}{2}$.
- c.* Sepalum dorsale $\frac{11}{2}$.
- d.* Sepalum laterale $\frac{4}{1}$.
- e, f.* Petala $\frac{6}{1}$.
- g.* Labellum cum gynostemio $\frac{9}{2}$.
- h.* Labellum explanatum $\frac{6}{1}$.
- i.* Anthera $\frac{8}{1}$.


CXXXVI, 231. *Dendrobium keytsianum* J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{5}{2}$.
- c.* Sepalum laterale $\frac{2}{1}$.
- d.* Petalum $\frac{3}{1}$.
- e.* Labellum cum gynostemio $\frac{13}{5}$.
- f.* Labellum explanatum $\frac{5}{2}$.
- g.* Gynostemium subtus visum $\frac{5}{1}$.
- h.* Anthera $\frac{5}{1}$.

230.



231




CXXVII, 232. *Dendrobium tubiflorum* J. J. S.

- a.* Flos $\frac{3}{1}$.
- b.* Sepalum dorsale $\frac{5}{1}$.
- c.* Sepalum laterale $\frac{13}{5}$.
- d.* Petalum $\frac{6}{1}$.
- e.* Labellum et gynostemium $\frac{11}{2}$.
- f.* Labellum explanatum $\frac{15}{4}$.
- g.* Anthera $\frac{6}{1}$.


CXXVII, 233. *Dendrobium cuculliferum* J. J. S.

- a.* Bractea $\frac{6}{1}$.
- b.* Flos $\frac{8}{3}$.
- c.* Sepalum dorsale $\frac{7}{2}$.
- d.* Sepalum laterale $\frac{5}{2}$.
- e.* Petalum $\frac{4}{1}$.
- f.* Labellum cum gynostemio $\frac{4}{1}$.
- g.* Labellum explanatum $\frac{4}{1}$.
- h.* Anthera $\frac{7}{1}$.

232.



233.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CXXVIII, 234. *Dendrobium glaucoviride* J. J. S.

- a.* Bractea $1\frac{1}{2}$.
- b.* Flos $\frac{3}{1}$.
- c.* Sepalum dorsale $\frac{4}{1}$.
- d.* Sepalum laterale $\frac{3}{1}$.
- e.* Petalum $\frac{5}{1}$.
- f.* Labellum cum gynostemio $\frac{4}{1}$.
- g.* Labellum explanatum $\frac{4}{1}$.
- h.* Anthera $1\frac{3}{2}$.


CXXVIII, 235. *Eria peraffinis* J. J. S.

- a.* Sepalum dorsale $\frac{3}{1}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{7}{2}$.
- d.* Labellum cum gynostemio $\frac{5}{1}$.
- e.* Labellum explanatum $\frac{7}{1}$.
- f.* Anthera $\frac{8}{1}$.


CXXVIII, 236. *Eria gautierensis* J. J. S.

- a.* Flos $\frac{3}{1}$.
- b.* Sepalum dorsale $\frac{5}{1}$.
- c.* Sepalum laterale $\frac{5}{1}$.
- d.* Petalum $\frac{7}{1}$.
- e.* Labellum cum gynostemio $\frac{5}{1}$.
- f.* Labellum explanatum $\frac{20}{3}$.
- g.* Anthera $\frac{9}{1}$.


234.



235.




236.



CXXIX, 237. *Eria brachiata* J. J. S.

- a.* Pars ramuli florentis $\frac{1}{1}$.
- b.* Inflorescentia $\frac{1}{1}$.
- c.* Flos $\frac{3}{1}$.
- d.* Sepalum dorsale $\frac{7}{2}$.
- e.* Sepalum laterale $\frac{10}{3}$.
- f.* Petalum $\frac{4}{1}$.
- g.* Labellum cum gynostemio $\frac{4}{1}$.
- h.* Labellum explanatum $\frac{9}{1}$.
- i.* Anthera $\frac{8}{1}$.
- j.* Pollinia $\frac{16}{1}$.




CXXX, 238. *Pedilochilus coiloglossum* Schltr.


- a.* Planta florens $1\frac{1}{1}$.
- b.* Sepalum dorsale $11\frac{1}{2}$.
- c.* Sepalum laterale $11\frac{1}{2}$.
- d.* Petalum $10\frac{1}{1}$.
- e.* Labellum cum gynostemio $11\frac{1}{1}$.
- f.* Labellum supra visum $10\frac{1}{1}$.
- g.* Anthera $20\frac{1}{1}$.
- h.* Pollinia $23\frac{1}{1}$.
- i.* Pes gynostemii $22\frac{1}{1}$.

CXXX, 239. *Pedilochilus sulphureus* J. J. S.

- a.* Planta florens $1\frac{1}{1}$.
- b.* Sepalum dorsale $7\frac{1}{2}$.
- c.* Sepalum laterale $11\frac{1}{4}$.
- d.* Petalum $11\frac{1}{2}$.
- e.* Petalum explanatum $7\frac{1}{1}$.
- f.* Labellum et gynostemium $5\frac{1}{1}$.
- g.* Labellum supra visum $7\frac{1}{1}$.
- h.* Anthera $18\frac{1}{1}$.



239.



CXXXI, 240. **Pedilochilus majus** J. J. S.

- a.* Sepalum dorsale $\frac{3}{1}$.
- b.* Sepalum laterale $\frac{5}{2}$.
- c.* Petalum $\frac{13}{2}$.
- d.* Labellum et gynostemium $\frac{5}{1}$.


CXXXI, 241. **Pedilochilus kermesinostriatum** J. J. S.

- a.* Sepalum dorsale $\frac{4}{1}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{9}{1}$.
- d.* Petalum explanatum $\frac{7}{1}$.
- e.* Labellum et gynostemium $\frac{7}{1}$.
- f.* Anthera $\frac{14}{1}$.


CXXXI, 242. **Bulbophyllum holochilum** J. J. S.

- a.* Sepalum dorsale $\frac{15}{4}$.
- b.* Sepalum laterale $\frac{10}{3}$.
- c.* Petalum $\frac{12}{1}$.
- d.* Petalum explanatum $\frac{13}{1}$.
- e.* Labellum et gynostemium $\frac{8}{1}$.
- f.* Labellum supra visum $\frac{10}{1}$.
- g.* Labellum explanatum $\frac{7}{1}$.
- h.* Gynostemium $\frac{15}{1}$.
- i.* Anthera $\frac{28}{1}$.


240.



241.



242.



J. J. Smith del.

Fa. P. W. M. Trap impr.


CXXXII, 243. *Bulbophyllum fibrinum* J. J. S.

- a.* Sepalum dorsale $\frac{7}{3}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{9}{1}$.
- d.* Labellum supra visum $\frac{15}{2}$.
- e.* Gynostemium $\frac{9}{1}$.
- f.* Anthera $\frac{15}{1}$.
- g, h.* Petala et gynostemium floris monstruosi
dorso et subtus visa $\frac{12}{1}$.

CXXXII, 244. *Bulbophyllum aristilabre* J. J. S.


- a.* Sepalum dorsale $\frac{7}{3}$.
- b.* Sepalum laterale $\frac{2}{1}$.
- c.* Petalum $\frac{15}{1}$.
- d.* Labellum cum gynostemio $\frac{5}{2}$.
- e.* Labellum explanatum $\frac{8}{3}$.
- f.* Gynostemium $\frac{11}{1}$.
- g.* Anthera $\frac{21}{1}$.

243.



J. J. Smith del.

244.



Fa. P. W. M. Trap impr.

CXXXIII, 245. **Bulbophyllum caudipetalum** J. J. S.

- a.* Sepalum dorsale $\frac{5}{1}$.
- b.* Sepalum laterale $\frac{9}{2}$.
- c.* Petalum $\frac{13}{1}$.
- d.* Labellum cum gynostemio $\frac{11}{2}$.
- e.* Gynostemium $\frac{13}{1}$.
- f.* Anthera.


CXXXIII, 246. **Bulbophyllum concolor** J. J. S.

- a.* Sepalum dorsale $\frac{15}{4}$.
- b.* Sepalum laterale $\frac{11}{3}$.
- c.* Petalum $\frac{20}{1}$.
- d.* Labellum cum gynostemio $\frac{8}{1}$.
- e.* Labellum explanatum $\frac{16}{3}$.
- f.* Gynostemium $\frac{16}{1}$.


CXXXIII, 247. **Bulbophyllum rectilabre** J. J. S.

- a.* Sepalum dorsale $\frac{7}{2}$.
- b.* Sepalum laterale $\frac{13}{4}$.
- c.* Petalum $\frac{15}{2}$.
- d.* Labellum cum gynostemio $\frac{11}{2}$.
- e.* Labellum supra visum $\frac{13}{3}$.
- f.* Gynostemium $\frac{9}{1}$.


245.



246.



247.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CXXXIV, 248. *Bulbophyllum geniculiferum* J. J. S.

- a.* Sepalum laterale $15/2$.
- b.* Petalum $27/1$.
- c.* Labellum cum gynostemio $13/1$.
- d.* Labellum supra visum $12/1$.


CXXXIV, 249. *Bulbophyllum olorum* J. J. S.

- a.* Sepalum dorsale $17/2$.
- b.* Sepalum laterale $14/1$.
- c.* Petalum $20/1$.
- d.* Labellum cum gynostemio $13/1$.
- e.* Anthera $20/1$.


CXXXIV, 250. *Bulbophyllum linearilabium* J. J. S.

- a.* Planta florens $1/1$.
- b.* Flos $5/1$.
- c.* Sepalum dorsale $4/1$.
- d.* Sepala lateralialia $9/2$.
- e.* Petalum $12/1$.
- f.* Labellum supra visum $11/1$.
- g.* Gynostemium $15/1$.
- h.* Anthera $30/1$.


248.



249.



250.



J. J. Smith et Natadipoera del.

Fa. P. W. M. Trap impr.

CXXXV, 251. *Bulbophyllum gautierense* J. J. S.




- a. Flos $\frac{7}{1}$.
- b. Sepalum dorsale $\frac{3}{1}$.
- c. Sepala lateralia $\frac{3}{1}$.
- d. Petalum $\frac{10}{1}$.
- e. Labellum cum gynostemio $\frac{15}{1}$.
- f. Labellum explanatum $\frac{15}{1}$.
- g. Anthera $\frac{30}{1}$.

CXXXV, 252. *Bulbophyllum orohense* J. J. S.

- a. Flos $\frac{7}{1}$.
- b. Sepalum dorsale $\frac{9}{1}$.
- c. Sepalum laterale $\frac{23}{3}$.
- d. Petalum $\frac{10}{1}$.
- e. Labellum et gynostemium $\frac{18}{1}$.
- f. Labellum explanatum $\frac{20}{1}$.

CXXXV, 253. *Bulbophyllum palilabre* J. J. S.

- a. Planta florens $\frac{1}{1}$.
- b, c. Flores $\frac{3}{1}$.
- d. Bractea $\frac{16}{1}$.
- e. Sepalum dorsale $\frac{7}{1}$.
- f. Sepalum laterale $\frac{7}{1}$.
- g. Petalum $\frac{15}{1}$.
- h. Labellum cum gynostemio $\frac{18}{1}$.
- i. Labellum explanatum $\frac{20}{1}$.
- j. Anthera $\frac{27}{1}$.



CXXXVI, 254. *Bulbophyllum Cerambyx* J. J. S.

- a.* Flos $\frac{3}{1}$.
- b.* Sepalum dorsale $\frac{11}{2}$.
- c.* Sepala lateralia $\frac{10}{3}$.
- d.* Petalum $\frac{21}{2}$.
- e.* Labellum et gynostemium $\frac{23}{2}$.
- f.* Labellum explanatum $\frac{11}{1}$.
- g.* Apex pedis gynostemii.
- h.* Anthera $\frac{15}{1}$.


CXXXVI, 255. *Bulbophyllum falcatocaudatum* J. J. S.

- a.* Planta florens $\frac{1}{1}$.
- b.* Sepalum dorsale $\frac{3}{1}$.
- c.* Sepalum laterale $\frac{3}{1}$.
- d.* Petalum $\frac{8}{1}$.
- e.* Labellum cum gynostemio $\frac{10}{1}$.
- f.* Labellum antice visum $\frac{10}{1}$.


CXXXVI, 256. *Bulbophyllum undatilabre* J. J. S.

- a.* Sepalum dorsale $\frac{5}{1}$.
- b.* Sepalum laterale $\frac{13}{2}$.
- c.* Petalum $\frac{12}{1}$.
- d.* Labellum cum gynostemio $\frac{11}{1}$.
- e.* Anthera $\frac{25}{1}$.
- f.* Pollinia $\frac{26}{1}$.

254.




255.



J. J. Smith et Natadipoera del.

256.




Fa. P. W. M. Trap impr.

CXXXVII, 257. *Bulbophyllum lamelluliferum* J. J. S.


- a.* Planta florens $1/1$.
- b.* Flos $2/1$.
- c.* Sepalum dorsale $7/2$.
- d.* Sepalum laterale $3/1$.
- e.* Petalum $9/1$.
- f.* Labellum lateraliter visum $8/1$.
- g.* Labellum subtus visum $10/1$.
- h.* Labellum supra visum $10/1$.
- i.* Gynostemium $13/1$.
- j.* Apex pedis gynostemii $10/1$.
- k.* Anthera $27/1$.
- l.* Pollinia $24/1$.

CXXXVII, 258. *Bulbophyllum rupestre* J. J. S.

- a.* Flos $5/2$.
- b.* Sepalum dorsale $10/3$.
- c.* Sepalum laterale $3/1$.
- d.* Petalum $6/1$.
- e.* Labellum $15/2$.
- f.* Labellum supra visum $9/1$.
- g.* Gynostemium $7/1$.
- h.* Gynostemium absque anthera $7/1$.
- i.* Anthera $19/1$.



258.



CXXXVIII, 259. *Bulbophyllum pisibulbum* J. J. S.

- a.* Planta florens $\frac{1}{1}$.
- b.* Sepalum dorsale $\frac{11}{2}$.
- c.* Sepalum laterale $\frac{11}{2}$.
- d.* Petalum $\frac{11}{1}$.
- e.* Labellum $\frac{11}{1}$.
- f.* Gynostemium $\frac{10}{1}$.
- g.* Anthera $\frac{18}{1}$.


CXXXVIII, 260. *Bulbophyllum bigibbosum* J. J. S.

- a.* Planta florens $\frac{1}{1}$.
- b.* Sepalum dorsale $\frac{11}{3}$.
- c.* Sepalum laterale $\frac{3}{1}$.
- d.* Petalum $\frac{16}{1}$.
- e.* Labellum cum gynostemio $\frac{7}{1}$.
- f.* Labellum supra visum $\frac{13}{1}$.
- g.* Labellum explanatum supra visum $\frac{12}{1}$.
- h.* Gynostemium $\frac{13}{1}$.
- i.* Anthera $\frac{30}{1}$.


CXXXVIII, 261. *Bulbophyllum paucisetum* J. J. S.

- a, b.* Inflorescentia $\frac{8}{1}$.
- c.* Sepalum dorsale $\frac{8}{1}$.
- d.* Sepalum laterale $\frac{19}{2}$.
- e.* Petalum $\frac{18}{1}$.
- f.* Labellum et gynostemium $\frac{14}{1}$.
- g.* Anthera $\frac{30}{1}$.

259.




260.



J. J. Smith, Darmosoediro et Natadipoera del.

261.




Fa. P. W. M. Trap impr.

CXXXIX, 262. *Bulbophyllum floribundum* J. J. S.

- a.* Planta florens $1\frac{1}{2}$.
- b.* Flos $1\frac{3}{5}$.
- c.* Sepalum dorsale $7\frac{1}{2}$.
- d.* Sepalum laterale $7\frac{1}{2}$.
- e.* Petalum $8\frac{1}{1}$.
- f.* Labellum cum gynostemio $7\frac{1}{1}$.
- g.* Anthera $1\frac{2}{1}$.
- h.* Pollinia lateraliter visa $1\frac{0}{1}$.

262.




CXL, 263. *Bulbophyllum arsoanum* J. J. S.

- a.* Flos $\frac{5}{2}$.
- b.* Sepalum dorsale $\frac{11}{2}$.
- c.* Sepalum laterale $\frac{3}{1}$.
- d.* Petalum $\frac{14}{1}$.
- e.* Labellum cum gynostemio $\frac{13}{2}$.
- f.* Anthera $\frac{12}{1}$.

CXL, 264. *Bulbophyllum conspersum* J. J. S.


- a.* Flos $\frac{3}{1}$.
- b.* Sepalum dorsale $\frac{7}{2}$.
- c.* Sepalum laterale $\frac{11}{4}$.
- d.* Petalum $\frac{10}{1}$.
- e.* Labellum cum gynostemio $\frac{7}{1}$.
- f.* Anthera $\frac{16}{1}$.

263.



J. J. Smith del.

264.



Fa. P. W. M. Trap impr.

CXLI, 265. *Bulbophyllum folliculiferum* J. J. S.

- a.* Planta $\frac{3}{4}$.
- b.* Flos $\frac{2}{1}$.
- c.* Sepala $\frac{13}{4}$.
- d.* Petalum $\frac{6}{1}$.
- e.* Labellum cum gynostemio $\frac{19}{2}$.
- f.* Anthera $\frac{13}{1}$.
- g.* Pollinia $\frac{18}{1}$.

265.




CXLII, 266. **Bulbophyllum elodeiflorum** J. J. S.

- a.* Planta florens $2/1$.
- b.* Flos $1^5/2$.
- c.* Sepalum dorsale $1^1/1$.
- d.* Sepalum laterale $1^0/1$.
- e.* Petalum $1^0/1$.
- f.* Labellum cum gynostemio $1^5/1$.
- g.* Anthera.


CXLII, 267. **Bulbophyllum sawiense** J. J. S.

- a.* Sepalum dorsale $1^1/1$.
- b.* Sepalum laterale $1^1/1$.
- c.* Petalum $1^7/1$.
- d.* Labellum cum gynostemio $1^5/1$.
- e.* Basis labelli $1^8/1$.
- f.* Anthera $2^8/1$.
- g.* Apex pedis gynostemii $2^5/1$.

266.



267.



CXLIII, 268. **Bulbophyllum dendrobioides** J. J. S.





- a.* Flos $\frac{7}{1}$.
- b.* Sepalum dorsale $\frac{17}{2}$.
- c.* Sepalum laterale $\frac{9}{1}$.
- d.* Petalum $\frac{18}{1}$.
- e.* Labellum cum gynostemio $\frac{13}{1}$.

CXLIII, 269. **Bulbophyllum imbricans** J. J. S.

- a.* Sepalum dorsale $\frac{6}{1}$.
- b.* Sepalum laterale $\frac{15}{2}$.
- c.* Petalum $\frac{15}{1}$.
- d.* Labellum cum gynostemio $\frac{25}{2}$.
- e.* Labellum supra visum $\frac{13}{1}$.
- f.* Anthera $\frac{23}{1}$.

CXLIII, 270. **Bulbophyllum triclavigerum** J. J. S.

- a.* Planta florens $\frac{1}{1}$.
- b.* Flos $\frac{9}{1}$.
- c.* Sepalum dorsale $\frac{10}{1}$.
- d.* Sepalum laterale $\frac{10}{1}$.
- e.* Petalum $\frac{10}{1}$.
- f.* Labellum cum gynostemio $\frac{17}{1}$.
- g.* Labellum explanatum $\frac{18}{1}$.




CXLIV, 271. **Bulbophyllum conchophyllum** J. J. S.


- a.* Folium subtus visum cum inflorescentia $7/6$.
- b.* Flos $3/1$.
- c.* Sepalum dorsale $7/2$.
- d.* Sepalum laterale $7/2$.
- e.* Petalum $9/1$.
- f.* Labellum cum gynostemio $10/1$.
- g.* Anthera $14/1$.

CXLIV, 272. **Bulbophyllum hollandianum** J. J. S.

- a.* Pseudobulbi cum inflorescentiis $10/1$.
- b.* Sepalum dorsale $17/1$.
- c.* Sepalum laterale $16/1$.
- d.* Petalum $16/1$.
- e.* Labellum cum gynostemio $22/1$.
- f.* Labellum explanatum $25/1$.



272.




CXLV, 273. *Bulbophyllum filicaule* J. J. S.

- a.* Planta florens $1/1$.
- b.* Pars plantae florentis $3/1$.
- c.* Pars plantae florentis $2^8/3$.
- d.* Sepalum dorsale $2^8/3$.
- e.* Sepalum laterale $2^5/2$.
- f.* Petalum $1^8/1$.
- g.* Labellum cum gynostemio $1^7/1$.
- h.* Labellum explanatum $2^0/1$.
- i.* Gynostemium $2^3/1$.
- j.* Anthera $3^3/1$.


CXLV, 274. *Bulbophyllum citrinilabre* J. J. S.

- a.* Flos $7/1$.
- b.* Sepalum dorsale $1^1/1$.
- c.* Sepalum laterale $2^1/3$.
- d.* Petalum $2^0/1$.
- e.* Labellum explanatum $2^5/1$.
- f.* Labellum cum gynostemio $1^7/1$.
- g.* Anthera $4^0/1$.

273.



274.



CXLVI, 275. *Bulbophyllum unigibbum* J. J. S.


- a.* Planta florens $1/1$.
- b.* Flos $7/1$.
- c.* Sepalum dorsale $2\frac{3}{2}$.
- d.* Sepalum laterale $1\frac{1}{1}$.
- e, f.* Petala $1\frac{3}{1}$.
- g.* Labellum cum gynostemio $1\frac{6}{1}$.
- h.* Labellum explanatum $1\frac{9}{1}$.
- i.* Gynostemium $2\frac{0}{1}$.
- j.* Anthera $2\frac{0}{1}$.

275.



CXLVII, 276. *Bulbophyllum subapetalum* J. J. S.

- a.* Planta florens $1\frac{1}{1}$.
- b.* Flos $2\frac{1}{1}$.
- c.* Sepalum dorsale $1\frac{5}{4}$.
- d.* Sepalum laterale $1\frac{5}{4}$.
- e.* Petalum $1\frac{3}{1}$.
- f.* Labellum et gynostemium $2\frac{1}{1}$.
- g.* Labellum supra visum $1\frac{2}{1}$.
- h.* Pollinia lateraliter visa $2\frac{0}{1}$.




CXLVIII, 277. *Bulbophyllum octarrhenipetalum* J. J. S.

- a.* Sepalum dorsale $\frac{9}{2}$.
- b.* Sepalum laterale $\frac{6}{1}$.
- c.* Petalum $\frac{25}{1}$.
- d.* Labellum lateraliter visum $\frac{10}{1}$.
- e.* Labellum subtus visum $\frac{23}{2}$.
- f.* Labellum supra visum $\frac{11}{1}$.
- g.* Labellum alterius floris supra visum $\frac{10}{1}$.
- h.* Gynostemium $\frac{15}{1}$.
- i.* Anthera $\frac{22}{1}$.


CXLVIII, 278. *Bulbophyllum quadrans* J. J. S.

- a.* Inflorescentia $\frac{10}{3}$.
- b.* Sepalum dorsale $\frac{17}{4}$.
- c.* Sepalum laterale $\frac{9}{2}$.
- d.* Petalum $\frac{17}{1}$.
- e.* Labellum et gynostemium $\frac{7}{1}$.
- f.* Labellum supra visum $\frac{7}{1}$.
- g.* Labellum subtus visum $\frac{7}{1}$.
- h.* Gynostemium $\frac{14}{1}$.
- i.* Anthera $\frac{16}{1}$.

277.



278.



J. J. Smith del.

Fa. P. W. M. Trap impr.


CXLIX, 279. *Bulbophyllum adpressiscapum* J. J. S.

- a. Flos $1\frac{3}{2}$.
- b. Sepalum dorsale $1\frac{5}{2}$.
- c. Sepalum laterale $2\frac{3}{3}$.
- d. Petalum $\frac{8}{1}$.
- e. Labellum et gynostemium $1\frac{3}{1}$.
- f. Labellum supra visum $1\frac{8}{1}$.
- g. Gynostemium $1\frac{6}{1}$.
- h. Anthera $1\frac{4}{1}$.


CXLIX, 280. *Bulbophyllum angiense* J. J. S.

- a. Pars plantae florentis $\frac{1}{1}$.
- b. Bractea $1\frac{3}{2}$.
- c. Flos $\frac{3}{1}$.
- d. Sepalum dorsale $1\frac{5}{4}$.
- e. Sepalum laterale $\frac{5}{1}$.
- f. Petalum $1\frac{0}{1}$.
- g. Labellum cum gynostemio $\frac{7}{1}$.
- h. Labellum supra visum $\frac{4}{1}$.
- i. Gynostemium $1\frac{0}{1}$.
- j. Anthera $1\frac{5}{1}$.
- k. Par polliniorum $1\frac{0}{1}$.

279.



280.



CL, 281. *Bulbophyllum furciferum* J. J. S.

- a.* Planta florens $\frac{1}{1}$.
- b.* Bractea $\frac{11}{1}$.
- c.* Flos $\frac{7}{1}$.
- d.* Sepalum dorsale $\frac{7}{1}$.
- e.* Sepalum laterale $\frac{7}{1}$.
- f.* Petalum $\frac{10}{1}$.
- g.* Labellum cum gynostemio $\frac{18}{1}$.
- h.* Labellum supra visum $\frac{15}{1}$.
- i.* Labellum antice visum $\frac{15}{1}$.
- j.* Anthera $\frac{20}{1}$.


281.



CLI, 282. *Bulbophyllum constrictilabre* J. J. S.

- a.* Planta florens $1\frac{1}{1}$.
- b.* Flos $5\frac{1}{1}$.
- c.* Sepalum dorsale $1\frac{7}{2}$.
- d.* Sepalum laterale $7\frac{1}{1}$.
- e.* Petalum $1\frac{0}{1}$.
- f.* Labellum et gynostemium $1\frac{6}{1}$.
- g.* Labellum supra visum $1\frac{6}{1}$.
- h.* Anthera $2\frac{0}{1}$.
- i.* Bractea $8\frac{1}{1}$.

282.




CLII, 283. **Bulbophyllum centrosemiflorum** J. J. S.

- a.* Flos $\frac{8}{3}$.
- b.* Sepalum dorsale $\frac{11}{4}$.
- c.* Sepalum laterale $\frac{4}{1}$.
- d.* Petalum $\frac{9}{1}$.
- e.* Labellum cum gynostemio $\frac{6}{1}$.
- f.* Labellum supra visum $\frac{8}{1}$.
- g.* Gynostemium $\frac{11}{1}$.
- h.* Anthera $\frac{13}{1}$.


CLII, 284. **Bulbophyllum cavistigma** J. J. S.

- a.* Sepalum dorsale $\frac{10}{1}$.
- b.* Sepalum laterale $\frac{10}{1}$.
- c, d.* Petala $\frac{13}{1}$.
- e.* Labellum cum gynostemio $\frac{16}{1}$.
- f.* Anthera $\frac{20}{1}$.

283.



284.



CLIII, 285. *Bulbophyllum filisepalum* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $11/1$.
- c.* Flos $4/1$.
- d.* Sepalum dorsale $4/1$.
- e.* Sepalum laterale $9/2$.
- f.* Petalum $7/1$.
- g.* Labellum et gynostemium $15/1$.
- h.* Gynostemium $27/1$.
- i.* Anthera $30/1$.




CLIV, 286. **Bulbophyllum fatuum** J. J. S.

- a.* Sepalum dorsale $2\frac{3}{3}$.
- b.* Sepalum laterale $8\frac{1}{1}$.
- c.* Petalum $11\frac{1}{1}$.
- d.* Labellum cum gynostemio $15\frac{1}{1}$.



CLIV, 287. **Bulbophyllum toranum** J. J. S.

- a.* Pars plantae florentis $1\frac{1}{1}$.
- b.* Pars rachidis $3\frac{1}{1}$.
- c.* Bractea $21\frac{1}{1}$.
- d.* Flos $17\frac{1}{2}$.
- e.* Sepalum dorsale $9\frac{1}{1}$.
- f.* Sepalum laterale $12\frac{1}{1}$.
- g.* Petalum $13\frac{1}{1}$.
- h.* Labellum cum gynostemio $16\frac{1}{1}$.
- i.* Labellum supra visum $20\frac{1}{1}$.
- j.* Gynostemium $35\frac{1}{2}$.
- k.* Anthera $23\frac{1}{1}$.

286.



287.




CLV, 288. **Bulbophyllum verrucibracteum** J. J. S.

- a.* Pars plantae florentis $\frac{1}{1}$.
- b.* Apex inflorescentiae $\frac{4}{1}$.
- c.* Sepalum dorsale $\frac{21}{2}$.
- d.* Sepalum laterale $\frac{12}{1}$.
- e.* Petalum $\frac{16}{1}$.
- f.* Labellum cum gynostemio $\frac{13}{1}$.
- g.* Labellum supra visum $\frac{21}{1}$.
- h.* Anthera $\frac{33}{1}$.


CLV, 289. **Bulbophyllum cassideum** J. J. S.

- a.* Flos $\frac{13}{2}$.
- b.* Sepalum dorsale $\frac{9}{1}$.
- c.* Sepalum laterale $\frac{10}{1}$.
- d.* Petalum $\frac{14}{1}$.
- e.* Labellum lateraliter visum $\frac{14}{1}$.
- f.* Labellum supra visum $\frac{15}{1}$.
- g.* Gynostemium $\frac{25}{2}$.
- h.* Gynostemium subtus visum $\frac{25}{2}$.
- i.* Anthera $\frac{16}{1}$.
- j.* Pollinia $\frac{20}{1}$.

288.



289.



CLVI, 290. **Bulbophyllum glabrilabre** J. J. S.

- a.* Flos $1\frac{3}{2}$.
- b.* Sepalum dorsale $\frac{8}{1}$.
- c.* Sepalum laterale $\frac{9}{1}$.
- d.* Petalum $1\frac{4}{1}$.
- e.* Labellum cum gynostemio $2\frac{0}{1}$.


CLVI, 291. **Bulbophyllum thrixpermoides** J. J. S.

- a.* Sepalum dorsale $\frac{3}{1}$.
- b.* Sepalum laterale $\frac{8}{3}$.
- c.* Petalum $\frac{7}{1}$.
- d.* Labellum $\frac{4}{1}$.
- e.* Gynostemium $\frac{5}{1}$.
- f.* Anthera $\frac{7}{1}$.


CLVI, 292. **Bulbophyllum serra** Schltr.

- a.* Flos $\frac{8}{5}$.
- b.* Sepalum dorsale $\frac{2}{1}$.
- c.* Sepalum laterale $\frac{2}{1}$.
- d.* Petalum $\frac{9}{1}$.
- e.* Labellum cum gynostemio $\frac{3}{1}$.
- f.* Anthera $\frac{9}{1}$.
- g.* Pollinia $\frac{9}{1}$.


290.



291.



292.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CLVII, 293. *Bulbophyllum scrobiculilabre* J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{12}{5}$.
- c.* Sepalum laterale $\frac{11}{5}$.
- d.* Petalum $\frac{6}{1}$.
- e.* Labellum cum gynostemio $\frac{14}{5}$.


CLVII, 294. *Bulbophyllum acuminatum* Schltr.

- a.* Sepalum dorsale $\frac{19}{4}$.
- b.* Sepalum laterale $\frac{15}{4}$.
- c.* Petalum $\frac{8}{1}$.
- d.* Labellum lateraliter visum $\frac{5}{1}$.
- e.* Labellum supra visum $\frac{5}{1}$.
- f.* Gynostemium $\frac{9}{1}$.


CLVII, 295. *Bulbophyllum mamberamense* J. J. S.

- a.* Flos subtus visus $\frac{5}{3}$.
- b.* Sepalum dorsale $\frac{2}{1}$.
- c.* Sepalum laterale $\frac{5}{3}$.
- d.* Petalum $\frac{5}{1}$.
- e.* Labellum et gynostemium $\frac{2}{1}$.
- f.* Labellum supra visum $\frac{7}{3}$.
- g.* Anthera $\frac{17}{3}$.
- h.* 2 pollinia $\frac{13}{2}$.


293.



294.



295.



CLVIII, 296. *Bulbophyllum Pristis* J. J. S.

- a.* Sepalum dorsale $\frac{7}{2}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{12}{1}$.
- d.* Labellum cum gynostemio $\frac{11}{4}$.
- e.* Labellum supra visum $\frac{6}{1}$.
- f.* Anthera $\frac{10}{1}$.


CLVIII, 297. *Bulbophyllum Crocodilus* J. J. S.

- a.* Sepalum dorsale $\frac{7}{2}$.
- b.* Sepalum laterale $\frac{7}{2}$.
- c.* Petalum $\frac{10}{1}$.
- d.* Labellum cum gynostemio $\frac{4}{1}$.
- e.* Labellum supra visum $\frac{4}{1}$.
- f.* Gynostemium $\frac{15}{2}$.
- g.* Anthera $\frac{10}{1}$.
- h.* Pollinia $\frac{10}{1}$.


CLVIII, 298. *Bulbophyllum teretilabre* J. J. S.

- a.* Sepalum dorsale $\frac{7}{2}$.
- b.* Sepalum laterale $\frac{3}{1}$.
- c.* Petalum $\frac{10}{1}$.
- d.* Labellum cum gynostemio $\frac{16}{3}$.
- e.* Anthera $\frac{10}{1}$.


296.



297.



298.




CLIX, 299. **Bulbophyllum Caryophyllum** J. J. S.

- a.* Flos $2\frac{1}{1}$.
- b.* Sepalum dorsale $5\frac{1}{2}$.
- c.* Sepalum laterale $7\frac{1}{3}$.
- d.* Petalum $5\frac{1}{2}$.
- e.* Labellum cum gynostemio $3\frac{1}{1}$.
- f.* Labellum supra visum $1\frac{3}{2}$.
- g.* Anthera $1\frac{1}{1}$.

CLIX, 300. **Bulbophyllum tollenoniferum** J. J. S.


- a.* Flos $2\frac{1}{1}$.
- b.* Sepalum dorsale $2\frac{1}{1}$.
- c.* Sepalum laterale $2\frac{1}{1}$.
- d.* Petalum $5\frac{1}{2}$.
- e.* Labellum cum gynostemio $8\frac{1}{3}$.
- f.* Anthera $1\frac{3}{2}$.

299.



J. J. Smith et Darmosidiro del.

300.



Fa. P. W. M. Trap impr.


CLX, 301. *Bulbophyllum giriwoense* J. J. S.

- a.* Flos $\frac{2}{1}$.
- b.* Sepalum dorsale $\frac{5}{2}$.
- c.* Sepalum laterale $\frac{5}{2}$.
- d.* Petalum $\frac{7}{1}$.
- e.* Labellum cum gynostemio $1\frac{1}{2}$.
- f.* Labellum supra visum $1\frac{5}{2}$.
- g.* Anthera lateraliter visa $\frac{8}{1}$.
- h.* Anthera supra visa $1\frac{9}{2}$.

CLX, 302. *Bulbophyllum tricanaliferum* J. J. S.

- a.* Flos $\frac{1}{1}$.
- b.* Sepalum dorsale $\frac{4}{3}$.
- c.* Sepalum laterale $\frac{8}{5}$.
- d.* Petalum $\frac{3}{1}$.
- e.* Labellum cum gynostemio $\frac{6}{1}$.
- f.* Anthera $\frac{9}{1}$.

801.




CLX
302.

CLXI, 303. *Bulbophyllum elephantinum* J. J. S.

- a.* Pars plantae florentis $1\frac{1}{1}$.
- b.* Flos $1\frac{1}{1}$.
- c.* Sepalum dorsale $5\frac{5}{4}$.
- d.* Sepala lateralialia $3\frac{3}{2}$.
- e.* Petalum $1\frac{5}{4}$.
- f.* Labellum cum gynostemio $5\frac{5}{1}$.
- g.* Anthera $1\frac{1}{1}$.
- h.* Pollinia extus visa $1\frac{3}{1}$.
- i.* Pollinia intus visa $1\frac{3}{1}$.

303.



J. J. Smith et Natadipoera del.

Fa. P. W. M. Trap impr.


CLXII, 304. *Thelasis globiceps* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $11/1$.
- c.* Flos $13/1$.
- d.* Sepalum dorsale $17/1$.
- e.* Sepalum laterale $17/1$.
- f.* Petalum $17/1$.
- g.* Labellum cum gynostemio supra visum $15/1$.
- h.* Labellum explanatum $16/1$.
- i.* Anthera $21/1$.


CLXII, 305. *Thelasis sphaerocarpa* J. J. S.

- a.* Planta florens $1/1$.
- b.* Flos $11/1$.
- c.* Sepalum dorsale $19/1$.
- d.* Sepalum laterale $13/1$.
- e.* Petalum $16/1$.
- f.* Labellum cum gynostemio $22/1$.
- g.* Labellum explanatum $17/1$.
- h.* Anthera $27/1$.
- i.* Pollinarium $29/1$.

304.




305.



CLXIII, 306. *Thelasis mamberamensis* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $1^6/1$.
- c.* Flos $7/1$.
- d.* Sepalum dorsale $1^7/2$.
- e.* Sepalum laterale $1^7/2$.
- f.* Petalum $1^0/1$.
- g.* Labellum et gynostemium $2^5/2$.
- h.* Labellum explanatum $1^4/1$.
- i.* Gynostemium $1^8/1$.
- j.* Anthera $2^0/1$.

306.




CLXIV, 307. *Thelasis gautierensis* J. J. S.

- a.* Planta $1/1$.
- b.* Flos $9/1$.
- c.* Sepalum dorsale $1\frac{4}{1}$.
- d.* Sepalum laterale $1\frac{4}{1}$.
- e.* Petalum $1\frac{5}{1}$.
- f.* Labellum cum gynostemio $1\frac{6}{1}$.
- g.* Labellum explanatum $1\frac{7}{1}$.
- h.* Anthera $1\frac{8}{1}$.

CLXIV, 308. *Thelasis angustifolia* J. J. S.


- a.* Planta $1/1$.
- b.* Bractea $1\frac{5}{1}$.
- c.* Flos $1\frac{2}{1}$.
- d.* Sepalum dorsale $1\frac{7}{1}$.
- e.* Sepalum laterale $1\frac{4}{1}$.
- f.* Petalum $2\frac{0}{1}$.
- g.* Labellum explanatum $1\frac{7}{1}$.
- h.* Gynostemium $2\frac{0}{1}$.
- i.* Anthera $3\frac{0}{1}$.

307.



J. J. Smith et Natadipoera del.


308.



Fa. P. W. M. Trap impr.

CLXV, 309. *Phreatia caespitosa* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $7/1$.
- c.* Flos $1\frac{1}{2}/1$.
- d.* Sepalum dorsale $1\frac{5}{1}/1$.
- e.* Sepalum laterale $1\frac{5}{1}/1$.
- f.* Petalum $1\frac{5}{1}/1$.
- g.* Labellum et gynostemium $1\frac{6}{1}/1$.
- h.* Labellum explanatum $1\frac{7}{1}/1$.
- i.* Anthera $2\frac{6}{1}/1$.



CLXVI, 310. *Phreatia alpina* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $1^0/1$.
- c.* Flos $9/1$.
- d.* Sepalum dorsale $11/1$.
- e.* Sepalum laterale $11/1$.
- f.* Petalum $14/1$.
- g.* Labellum et gynostemium $13/1$.
- h.* Labellum explanatum $14/1$.
- i.* Anthera $13/1$.

CLXVI, 311. *Phreatia pisifera* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $17/1$.
- c.* Flos $17/1$.
- d.* Sepalum dorsale $20/1$.
- e.* Sepalum laterale $20/1$.
- f.* Petalum $23/1$.
- g.* Labellum cum gynostemio $23/1$.
- h.* Labellum explanatum $26/1$.
- i.* Anthera $23/1$.




CLXVII, 312. *Phreatia grandiflora* J. J. S.


- a.* Planta florens $1/1$.
- b.* Flos $7/1$.
- c.* Sepalum dorsale $9/1$.
- d.* Sepalum laterale $6/1$.
- e.* Petalum $10/1$.
- f.* Labellum cum gynostemio $8/1$.
- g.* Labellum explanatum $8/1$.
- h.* Anthera $11/1$.

CLXVII, 313. *Phreatia goliathensis* J. J. S.

- a.* Planta florens $1/1$.
- b.* Bractea $13/1$.
- c.* Flos $27/1$.
- d.* Sepalum dorsale $31/1$.
- e.* Sepalum laterale $27/1$.
- f.* Petalum $36/1$.
- g.* Labellum cum gynostemio $37/1$.
- h.* Labellum explanatum $37/1$.



J. J. Smith et Natadipoera del.




Fa. P. W. M. Trap impr.

CLXVIII, 314. *Phreatia densissima* J. J. S.


- a.* Planta florens $1/1$.
- b.* Bractea $13/1$.
- c.* Flos $12/1$.
- d.* Sepalum dorsale $17/1$.
- e.* Sepalum laterale $17/1$.
- f.* Petalum $9/2$.
- g.* Labellum cum gynostemio $20/1$.
- h.* Labellum explanatum $23/1$.
- i.* Anthera $26/1$.

CLXVIII, 315. *Phreatia petiolata* Schltr.

- a.* Planta florens $1/1$.
- b.* Flos $20/1$.
- c.* Sepalum dorsale $27/2$.
- d.* Sepalum laterale $22/1$.
- e.* Petalum $30/1$.
- f.* Labellum cum gynostemio $25/1$.
- g, h.* Labella explanata $30/1$.
- i.* Anthera $50/1$.



315.



J. J. Smith et Natadipoera del.

Fa. P. W. M. Trap impr.


CLXIX, 316. *Phreatia hollandiana* J. J. S.

- a.* Flos $2\frac{4}{1}$.
- b.* Sepalum dorsale $29\frac{1}{1}$.
- c.* Sepalum laterale $29\frac{1}{1}$.
- d.* Petalum $37\frac{1}{1}$.
- e.* Labellum et gynostemium $37\frac{1}{1}$.
- f, g.* Labella explanata $33\frac{1}{1}$.
- h.* Gynostemium $40\frac{1}{1}$.
- i.* Anthera $38\frac{1}{1}$.
- j.* Pollinarium $38\frac{1}{1}$.


CLXIX, 317. *Octarrhena arfakensis* J. J. S.

- a.* Flos $13\frac{1}{1}$.
- b.* Sepalum dorsale $18\frac{1}{1}$.
- c.* Sepalum laterale $19\frac{1}{1}$.
- d.* Petalum $21\frac{1}{1}$.
- e.* Labellum cum gynostemio $25\frac{1}{1}$.
- f.* Labellum explanatum $45\frac{1}{2}$.
- g.* Anthera $20\frac{1}{1}$.

316.










317.




CLXX, 318. *Octarrhena gibbosa* J. J. S.

- a.* Planta florens $\frac{3}{4}$.
- b.* Bractea $\frac{12}{1}$.
- c.* Flos $\frac{19}{2}$.
- d.* Sepala $\frac{17}{2}$.
- e.* Petalum $\frac{13}{1}$.
- f.* Labellum et gynostemium $\frac{20}{1}$.
- g.* Labellum explanatum $\frac{27}{1}$.
- h.* Gynostemium subtus visum $\frac{23}{1}$.
- i.* Anthera $\frac{30}{1}$.



CLXXI, 319. *Octarrhena cucullifera* J. J. S.

- a.* Planta florens $1/1$.
- b.* Flos $11/1$.
- c.* Sepala $10/1$.
- d.* Petalum $16/1$.
- e.* Labellum et gynostemium $14/1$.
- f.* Labellum cum cucullo $11/1$.
- g.* Anthera $35/1$.
- h, i.* Pollinia $48/1$.
- j.* Par polliniorum lateraliter visum $44/1$.




CLXXII, 320. *Chitonanthera reflexa* J. J. S.


- a.* Planta $\frac{1}{1}$.
- b.* Ramulus $\frac{3}{1}$.
- c.* Flos $\frac{20}{1}$.
- d.* Sepalum dorsale $\frac{20}{1}$.
- e.* Sepala lateralialia $\frac{20}{1}$.
- f.* Petalum $\frac{45}{1}$.
- g.* Labellum et gynostemium $\frac{20}{1}$.
- h.* Labellum explanatum $\frac{20}{1}$.
- i.* Gynostemium antice visum $\frac{33}{1}$.
- j.* Anthera $\frac{30}{1}$.

CLXXII, 321. *Chitonanthera latipetala* J. J. S.

- a.* Bractea $\frac{22}{1}$.
- b.* Flos $\frac{13}{1}$.
- c.* Sepala $\frac{13}{1}$.
- d.* Petalum $\frac{20}{1}$.
- e.* Labellum et gynostemium $\frac{17}{1}$.
- f.* Labellum explanatum $\frac{22}{1}$.



321.




J. J. Smith et Darmosoediro del.

Fa. P. W. M. Trap impr.

CLXXIII, 322. *Ridleyella paniculata* Schltr.

- a.* Planta florens $1/1$.
- b.* Flos $10/1$.
- c.* Sepalum dorsale $10/1$.
- d.* Sepalum laterale $14/1$.
- e.* Petalum $10/1$.
- f.* Labellum cum gynostemio $13/1$.
- g.* Labellum explanatum $13/1$.
- h.* Pollinia $33/1$.



CLXXIV, 323. **Appendicula fasciculata** J. J. S.


- a.* Sepalum dorsale $1\frac{4}{1}$.
- b.* Sepalum laterale $1\frac{2}{1}$.
- c.* Petalum $1\frac{4}{1}$.
- d.* Labellum cum gynostemio $1\frac{6}{1}$.
- e.* Labellum explanatum $2\frac{5}{2}$.
- f.* Anthera $2\frac{2}{1}$.

CLXXIV, 324. **Appendicula furfuracea** J. J. S.


- a.* Flos $1\frac{0}{1}$.
- b.* Sepalum dorsale $1\frac{3}{1}$.
- c.* Sepalum laterale $1\frac{4}{1}$.
- d.* Petalum $1\frac{5}{1}$.
- e.* Labellum cum gynostemio $1\frac{4}{1}$.
- f.* Labellum explanatum $1\frac{4}{1}$.
- g.* Anthera $1\frac{6}{1}$.

CLXXIV, 325. **Appendicula carinifera** J. J. S.


- a.* Bractea $1\frac{1}{1}$.
- b.* Sepalum dorsale $7\frac{1}{1}$.
- c.* Sepalum laterale $1\frac{9}{2}$.
- d.* Petalum $2\frac{3}{2}$.
- e.* Labellum explanatum $2\frac{7}{2}$.
- f.* Gynostemium $1\frac{5}{1}$.
- g.* Anthera $1\frac{0}{1}$.



324.




325



CLXXV, 326. *Appendicula lutea* Schltr.

- a.* Planta florens $\frac{3}{4}$.
- b.* Folium $\frac{3}{1}$.
- c.* Flos $\frac{8}{1}$.
- d.* Sepalum dorsale $\frac{7}{1}$.
- e.* Sepalum laterale $\frac{9}{1}$.
- f.* Petalum $\frac{9}{1}$.
- g.* Labellum $\frac{9}{1}$.
- h.* Labellum explanatum $\frac{23}{2}$.
- i.* Gynostemium $\frac{9}{1}$.
- j.* Anthera $\frac{15}{1}$.
- k.* Pollinia cum stipitibus $\frac{22}{1}$.

326.



J. J. Smith et Natadipoera del.


Fa. P. W. M. Trap impr.

CLXXVI, 327. *Appendicula rostrata* J. J. S.


- a.* Flos $7/1$.
- b.* Sepalum dorsale $10/1$.
- c.* Sepala lateralialia $11/1$.
- d.* Petalum $16/1$.
- e.* Labellum cum gynostemio $8/1$.
- f.* Labellum explanatum $16/1$.
- g.* Anthera $20/1$.
- h.* Pollinia cum stipite $25/1$.

CLXXVI, 328. *Appendicula disticha* Ridl.

- a.* Ramulus florens $1/1$.
- b.* Flos $11/1$.
- c.* Sepalum dorsale $11/1$.
- d.* Sepalum laterale $12/1$.
- e.* Petalum $13/1$.
- f.* Labellum cum gynostemio $16/1$.
- g.* Labellum explanatum $13/1$.
- h.* Gynostemium subtus visum $16/1$.
- i.* Anthera $13/1$.



328.




CLXXVII, 329. *Lectandra podochiloides* Schltr.

- a.* Flos $\frac{8}{1}$.
- b.* Sepalum dorsale $\frac{19}{2}$.
- c.* Sepalum laterale $\frac{9}{1}$.
- d.* Petalum $\frac{10}{1}$.
- e.* Labellum cum gynostemio $\frac{8}{1}$.
- f.* Labellum explanatum $\frac{23}{2}$.
- g.* Anthera $\frac{19}{1}$.


CLXXVII, 330. *Calymanthera filiformis* Schltr.

- a.* Flos $\frac{8}{1}$.
- b.* Sepalum dorsale $\frac{12}{1}$.
- c.* Sepalum laterale $\frac{13}{1}$.
- d.* Petalum $\frac{15}{1}$.
- e.* Labellum cum gynostemio $\frac{24}{1}$.
- f.* Labellum explanatum $\frac{18}{1}$.
- g.* Anthera $\frac{22}{1}$.

329.




330.



CLXXVIII, 331. *Sarcochilus singularis* J. J. S.

- a.* Planta $\frac{1}{1}$.
- b.* Sepalum dorsale $\frac{13}{3}$.
- c.* Sepalum laterale $\frac{10}{3}$.
- d.* Petalum $\frac{11}{3}$.
- e.* Labellum et gynostemium $\frac{13}{2}$.
- f.* Labellum lateraliter visum $\frac{8}{1}$.
- g.* Labellum supra visum $\frac{10}{1}$.
- h.* Labellum subtus visum $\frac{10}{1}$.
- i.* Labellum, sectio longitudinalis $\frac{10}{1}$.
- j.* Gynostemium subtus visum $\frac{7}{1}$.
- k.* Anthera $\frac{28}{3}$.



CLXXIX, 332. **Vandopsis curvata** J. J. S.


- a.* Flos $5/2$.
- b.* Sepalum dorsale $3/1$.
- c.* Sepalum laterale $3/1$.
- d.* Petalum $3/1$.
- e.* Labellum cum gynostemio $4/1$.
- f.* Labelli sectio longitudinalis $4/1$.
- g.* Anthera $11/2$.
- h.* Pollinarium $23/3$.

CLXXIX, 333. **Renanthera Edelfeldtii** F. v. Muell. et Krzl.


- a.* Flos $5/2$.
- b.* Sepalum dorsale $3/1$.
- c.* Sepalum laterale $3/1$.
- d.* Petalum $18/5$.
- e.* Labellum cum gynostemio $11/2$.
- f.* Pollinarium $13/1$.

CLXXIX, 334. **Malleola gautierensis** J. J. S.


- a.* Flos $13/2$.
- b.* Sepalum dorsale $9/1$.
- c.* Sepalum laterale $9/1$.
- d.* Petalum $9/1$.
- e.* Labellum cum gynostemio $8/1$.
- f.* Labelli sectio longitudinalis $10/1$.
- g.* Anthera $15/2$.
- h.* Stipes pollinarii $17/1$.



333.



334.



CLXXX, 335. *Taeniophyllum tamianum* J. J. S.

- a.* Sepalum dorsale $\frac{9}{2}$.
- b.* Sepalum laterale $\frac{9}{2}$.
- c.* Petalum $\frac{14}{3}$.
- d.* Labellum cum gynostemio $\frac{17}{4}$.
- e.* Labellum explanatum $\frac{5}{1}$.
- f.* Gynostemium $\frac{8}{1}$.
- g.* Gynostemium antice visum $\frac{13}{1}$.
- h.* Anthera $\frac{12}{1}$.
- i.* Stipes polliniorum $\frac{30}{1}$.
- j.* Pollinia $\frac{30}{1}$.


CLXXX, 336. *Taeniophyllum toranum* J. J. S.

- a.* Flos $\frac{11}{3}$.
- b.* Sepalum dorsale $\frac{19}{4}$.
- c.* Sepalum laterale $\frac{19}{4}$.
- d.* Petalum $\frac{13}{3}$.
- e.* Labellum cum gynostemio $\frac{23}{4}$.
- f.* Labellum explanatum $\frac{22}{3}$.
- g.* Anthera $\frac{12}{1}$.
- h.* Stipes polliniorum $\frac{25}{1}$.


CLXXX, 337. *Taeniophyllum giriwoense* J. J. S.

- a.* Flos $\frac{6}{1}$.
- b.* Sepalum dorsale $\frac{7}{1}$.
- c.* Sepalum laterale $\frac{8}{1}$.
- d.* Petalum $\frac{19}{2}$.
- e.* Labellum cum gynostemio $\frac{10}{1}$.
- f.* Labellum explanatum $\frac{10}{1}$.
- g.* Gynostemium $\frac{18}{1}$.
- h.* Anthera $\frac{27}{1}$.


335.




337.




336.



338



339.



J. J. Smith del.

Fa. P. W. M. Trap impr.

CLXXXI, 338. *Taeniophyllum singulare* J. J. S.

- a.* Flos $\frac{4}{1}$.
- b.* Sepalum dorsale $\frac{11}{2}$.
- c.* Sepalum laterale $\frac{6}{1}$.
- d.* Petalum $\frac{6}{1}$.
- e.* Labellum et gynostemium $\frac{23}{3}$.
- f.* Gynostemium $\frac{17}{2}$.
- g.* Anthera $\frac{13}{1}$.
- h.* Stipes polliniorum $\frac{11}{1}$.

CLXXXI, 339. *Taeniophyllum clavicalcar* J. J. S.

- a.* Flos $\frac{22}{3}$.
- b.* Sepalum dorsale $\frac{10}{1}$.
- c.* Sepalum laterale $\frac{10}{1}$.
- d.* Petalum $\frac{11}{1}$.
- e.* Labellum et gynostemium $\frac{8}{1}$.
- f.* Lamina labelli explanata $\frac{12}{1}$.
- g.* Gynostemium absque anthera antice visum $\frac{11}{1}$.
- h.* Anthera $\frac{15}{1}$.
- i.* Pollinarium $\frac{40}{1}$.
- j.* Stipes $\frac{37}{1}$.